

EAST Search History

✓ = reviewed
2/7/07
JMF

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	33268	sun.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 09:40
L4	438	sun.as. and (distributed with node)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 09:40
L5	3	sun.as. and (distributed with node) and (management adj server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/07 09:41 ✓
S6	1	"poirot, didier".in. and "cerba, jacques".in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 15:27 ✓
S7	5	"poirot, didier".in. or "cerba, jacques".in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 15:24 ✓
S8	7618	distributed with node with system	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 15:27
S9	1	(distributed with node with system) and (table same location same identifier same configuration) and ((node with location with manager) same detect with new with hardware)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 15:28
S10	10	(distributed with node with system) and (table same location same identifier same configuration)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 15:32
S11	6	node.ab. and (distributed with node with system) and (table same location same identifier same configuration)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 15:38

EAST Search History

S12	4	node.ab. and (distributed with node with system) and (table same (node with location) same identifier same configuration)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 15:40
S13	1	node.ab. and (distributed with node with system) and (table same (node with location) same identifier same configuration) and (detect with new with (hardware or node))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 15:41
S14	15	node.ab. and (distributed with node with system) and (table with (location or hardware or configuration)) and (detect with new with (hardware or node))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/05 13:00
S15	3	node.ab. and (distributed with node with system) and (table with (location or hardware or configuration)) and (detect with new with (hardware or node)) and (client near2 server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/05 13:45
S16	2	"6047323".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/05 13:06
S17	0	"6047323".pn. AND (client with table with server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/05 13:06
S18	0	"6047323".pn. AND (client with table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/05 13:16
S19	1	"6047323".pn. AND (add with new with node)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/05 13:17 ✓
S20	1	"6047323".pn. AND (new near2 (node or computer or system or member))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/05 13:45 ✓

EAST Search History

S21	0	"6047323".pn. AND (add with new near2 (node or computer or system or member))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/05 13:18
S22	207	(distributed with node) and ((configuration or configure) near3 new near3 (node or system or computer or member))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/05 16:13
S23	12	(distributed with node) same ((configuration or configure) near3 new near3 (node or system or computer or member))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/05 13:57
S24	43	(distributed with node) and ((configuration or configure) near3 new near3 (node or system or computer or member)) and (node near2 location)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/05 13:59
S25	36	(distributed with node) and ((configuration or configure) near3 new near2 (node or system or computer or member)) and (node near2 location)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/05 14:00
S26	27	(distributed with node) and ((configuration or configure) near2 new near2 (node or system or computer or member)) and (node near2 location)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/05 14:03
S27	75	(distributed with node) and ((configuration or configure or add) near2 new near2 (node or system or computer or member)) and (node near2 location)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/05 14:00
S28	2	(distributed with node) and ((configuration or configure) near2 new near2 (node or system or computer or member)) and (node near2 location) and (detect near2 new near2 (node or computer or system or member or hardware))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/05 14:01
S29	0	(distributed with node) and ((configuration or configure) near2 new near2 (node or system or computer or member)) and (dynamic near2 node near2 location)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/05 14:03

EAST Search History

S30	0	(distributed with node) and ((configuration or configure) near2 new near2 (node or system or computer or member)) and (dynamic\$3 near2 node near2 (location or locate))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/05 14:03
S31	0	(distributed with node) and ((configuration or configure) near2 new near2 (node or system or computer or member)) and (dynamic\$3 with node near2 (location or locate))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/05 14:03
S32	0	"Node location management in a distributed computer system".ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/05 15:10
S33	5	(US-20040143654-\$ or US-20040122944-\$ or US-20030014693-\$).did. or (US-6047323-\$ or US-7024472-\$). did.	US-PGPUB; USPAT	OR	ON	2007/02/05 15:10
S34	2	S33 and (hardware or location) adj identifier	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/05 15:14
S35	1	S33 and ((dynamic\$4 or automatic\$4) with location)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/05 15:14
S36	4	S33 and ((dynamic\$4 or automatic\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/05 16:13
S37	1	S33 and (DHCP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/05 15:19
S38	1	S33 and (detect near3 new)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/05 15:19

EAST Search History

S39	2	S33 and (detect with new)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/05 15:19
S40	3	S33 and detect	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/05 15:20
S41	1	S33 and (available adj node)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/05 15:21
S42	2	S33 and (location adj identifier)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/05 15:43
S48	0	(distributed with node) AND (dynamic with location) and SNMP and DHCP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/05 16:15
S49	116	(distributed with node) AND SNMP and DHCP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/06 09:10
S50	9	(distributed with node).ab. AND SNMP and DHCP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/05 16:29
S51	15	("5630184" "5781735" "5784553" "5887139" "5903732" "5996009" "6014702" "6078321" "6101500" "6133916" "6272641" "6282709" "6473085" "6502130" "6523022").PN. OR ("7024472"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/05 16:17
S52	0	S51 and SNMP and DHCP	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/05 16:17
S53	3	S51 and SNMP	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/05 16:19

EAST Search History

S54	0	S51 and SNMP and port adj status	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/05 16:19
S55	2	S51 and SNMP and port	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/05 16:28
S56	1	S51 and SNMP and port and MAC	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/05 16:28
S57	6	(distributed with node).ab. AND SNMP and DHCP and port and mac	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/05 16:30
S58	65	(distributed with node) AND SNMP and DHCP and port and mac	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/05 16:31
S59	1	(distributed with node) AND SNMP and DHCP and (request with port with status) and mac	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/05 16:31
S60	1	(distributed with node) AND SNMP and DHCP and (port adj status) and mac	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/05 16:31
S61	16	(distributed with node) AND SNMP and (port near2 status) and mac	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/05 16:31
S62	3695	(distributed with node).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/06 09:10
S63	64	(distributed with node).ab. AND SNMP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/06 09:11
S64	24	(distributed with node).ab. AND SNMP AND ((ethernet adj address) or MAC)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/06 09:12

EAST Search History

S65	2	(distributed with node).ab. AND SNMP AND ((ethernet adj address) or MAC) and ((port adj status))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/06 09:12
S66	3	(distributed with node).ab. AND SNMP AND ((ethernet adj address) or MAC) and ((port near2 status))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/06 09:12
S67	3	(distributed with node).ab. AND SNMP AND ((ethernet adj address) or MAC) and ((port near2 status)) and switch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/06 09:12
S68	24	(distributed with node).ab. AND SNMP AND ((ethernet adj address) or MAC) AND switch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/06 09:12
S69	21	(distributed with node).ab. AND SNMP AND ((ethernet adj address) or MAC) AND switch and port	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/06 09:13
S70	3	(distributed with node).ab. AND SNMP AND ((ethernet adj address) or MAC) AND switch and (port with status)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/06 09:13
S71	6	(US-20040143654-\$ or US-20040122944-\$ or US-20030014693-\$).did. or (US-6047323-\$ or US-7024472-\$ or US-6502130-\$).did.	US-PGPUB; USPAT	OR	ON	2007/02/06 09:21
S72	3	S71 and ((port near4 status) or (port near4 number))	US-PGPUB; USPAT	OR	ON	2007/02/06 10:21
S73	5	S71 and ((port near4 status) or (port near4 number) or port)	US-PGPUB; USPAT	OR	ON	2007/02/06 09:51
S74	1	(compliant adj server) near2 DHCP	US-PGPUB; USPAT	OR	ON	2007/02/06 09:51
S75	38	(compliant with server) with DHCP	US-PGPUB; USPAT	OR	ON	2007/02/06 09:53
S76	0	(compliant with server with DHCP). ab.	US-PGPUB; USPAT	OR	ON	2007/02/06 09:51
S77	189	(DHCP adj server).ab.	US-PGPUB; USPAT	OR	ON	2007/02/06 09:53

EAST Search History

S78	18	(DHCP adj server).ti.	US-PGPUB; USPAT	OR	ON	2007/02/06 09:53
S79	1	S71 and slot	US-PGPUB; USPAT	OR	ON	2007/02/06 11:33
S80	0	"609212".pn.	US-PGPUB; USPAT	OR	ON	2007/02/06 11:33
S81	6	"609212"	US-PGPUB; USPAT	OR	ON	2007/02/06 11:33